


Ali Glyde W40

Technical Specifications



www.hag.co.uk
Advice Line 0800 072 3444

What is it made from

Ali Glyde is a range of horizontal collapsible sliding folding shutters and grille systems. The eleven models provide variation of style, security and ventilation to close off retail areas such as duty free shops and serving counters. All Ali Glyde systems are manual operation with multi point locking.

Typical Uses or Specific Use

Common applications for the Ali Glyde sliding folding grilles and shutters are retail shop fronts in Airports, Malls, information kiosk, theatres, railway stations, restaurants and reception counters.

Security Level

Each model will vary to the level of security it achieves. Generally the open grilles are low security with the steel panel sliding shutters medium security.

Benefit of product range

The Ali Glyde sliding folding grilles and shutters are all manual operation giving a low annual maintenance cost. The unique track design enables curved layouts and large spans to be achieved with minimal head room requirement.

Product Overview

Description

The Ali Glyde W40 sliding folding collapsible solid aluminium shutter system is supported by a top track detail and strengthened by intermediate supports locating into flush fitting ground sockets. Constructed from solid aluminum panels with an integral hinge and 7 lever locking device this system offers the highest security for sliding folding shutters.

Common use

The Ali Glyde W40 collapsible shutter is used to protect retail premises such as shopping malls, railway stations, store concessions and public service areas

Dimensions

152mm vertical Sections with aluminium hinges

Weight

11g Per M2

Finish

Standard Finishes Silver, White, Medium Bronze, light Bronze or Black.

Top Track

Aluminium 34mm x 42mm High No requirement for bottom track

Curved Apertures

This Product is highly flexible to provide limitless options for imaginative design lay outs to suit any shape or length.

Ali Glyde W40



Product Overview

Stacking Size

Approximately 15% of overall length.

Locking

Adams rite mortice lock with intermediate post's incorporating drop bolts locating into flush floor sockets.

Operation

Manual Operation

Product specification may change and it is advisable to consult with HAG technical advisors before specifying or ordering. HAG operates a policy of continuous improvement.
