


Ali Glyde W60

Technical Specifications



www.hag.co.uk
Advice Line 0800 072 3444



What is it made from

Ali Glyde is a range of horizontal collapsible sliding folding shutters and grille systems. The eleven models provide variation of style, security and ventilation to close off retail areas such as duty free shops and serving counters. All Ali Glyde systems are manual operation with multi point locking.

Typical Uses or Specific Use

Common applications for the Ali Glyde sliding folding grilles and shutters are retail shop fronts in Airports, Malls, information kiosks, theatres, railway stations, restaurants and reception counters.

Security Level

Each model will vary to the level of security it achieves. Generally the open grilles are low security with the steel panel sliding shutters medium security.

Benefit of product range

The Ali Glyde sliding folding grilles and shutters are all manual operation giving a low annual maintenance cost. The unique track design enables curved layouts and large spans to be achieved with minimal head room requirement.

Product Overview

Description

The Ali Glyde W60 is a sliding folding grille supported by a top track system manufactured in design to form an elongated vertical brick type pattern. The W60 Ali Glyde is aluminium in construction and its manual operation ensures low maintenance.

Common use

The Ali Glyde W60 collapsible has secured various retail premises in shopping malls such as kiosk, information desks and store concessions.

Dimensions

152mm vertical Sections with aluminium hinges

Weight

8kg Per M2

Finish

Standard Finishes Silver, White, Medium Bronze, light Bronze or Black.

Top Track

Aluminium 34mm x 42mm High No requirement for bottom track

Curved Apertures

This Product is highly flexible to provide limitless options for imaginative design lay outs to suit any shape or length.

Stacking Size

Approximately 15% of overall length.

Locking

Adams rite mortice lock with intermediate posts incorporating drop bolts locating into flush floor sockets.

Operation

Manual Operation

Product specification may change and it is advisable to consult with [HAG technical advisors](#) before specifying or ordering. HAG operates a policy of continuous improvement.
