

# Fireguard Smoke & Fire Curtain SC120

## Technical Specifications



[www.hag.co.uk](http://www.hag.co.uk)  
Advice Line 0800 072 3444

# Fireguard Smoke & Fire Curtain SC120



## Product Overview

### Description

Smoke and Fire Curtain with up to two hours Integrity.  
Adaptions include heat insulation zones where protecting escape routes.

### Common Use

Department Stores, Public access escape routes, Offices, Schools, Restaurants and Elevator shafts.

---

For further information about this product please call the HAG advice line on 0800 072 3444 or email [info@hag.co.uk](mailto:info@hag.co.uk)

---

# Fireguard Smoke & Fire Curtain SC120



## Product Overview

### Sizes

Minimum width: 800mm  
Maximum: on application  
Minimum height: 500mm  
Maximum height: 8m

### Weight

Approximately : 6kg/m<sup>2</sup>

### Finish

Standard Grey finish.

### Specification of build

Guide Rails 70/100mm x 53mm Galvanised Steel

Boxing 160x160 – 200x200 Galvanised Steel

The fire curtain assembly comprises of a Box Housing containing the Barrel and Curtain. The curtain is manufactured from a Satin Weave Fibreglass Fabric, coated with Intumescent Silicone.

Tested to BS EN 1634-1:2008.

The side guides, barrel, canopy and bottom rail are all manufactured from mild steel.

### Operation

Electrically operated.

### Typical arrangements

Face or Reveal fix

### Operation

24v DC Tubular motor.

### Finish

Smoke Fire curtain is available in grey finish (Exposed Guides and Canopy can be powder coated).

Heat Insulated curtain standard black finish

### Maintenance

Regular maintenance is required for this smoke curtain due to the significance protection this product offers.

### Control Options:

Audio / Visual output

Group control

Smoke and Heat Detectors

Emergency retract Switches

---

Product specification may change and it is advisable to consult with HAG technical advisors before specifying or ordering. HAG operates a policy of continuous improvement.

---

---

For further information about this product please call the HAG advice line on 0800 072 3444 or email [info@hag.co.uk](mailto:info@hag.co.uk)

---